

# CLEENOL

For a cleaner, safer world

## SAFETY DATA SHEET OSMOS GLASS RENOVATOR LIQUID

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	OSMOS GLASS RENOVATOR LIQUID
Internal identification	OSM-GRL-2X5
Container size	2x5L

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning agent.
Uses advised against	Not to be used for hand dishwashing.

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
----------	---

#### 1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct via 111 (UK only).
---------------------	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Skin Corr. 1A - H314 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

#### 2.2. Label elements

##### Hazard pictograms



Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

## OSMOS GLASS RENOVATOR LIQUID

<b>Precautionary statements</b>	<p>P260 Do not breathe vapour/ spray.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P363 Wash contaminated clothing before reuse.</p>
<b>Contains</b>	POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE
<b>Supplementary precautionary statements</b>	<p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P391 Collect spillage.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>POTASSIUM HYDROXIDE</b> <span style="float: right;"><b>10-30%</b></span> CAS number: 1310-58-3                      EC number: 215-181-3
<b>Classification</b> Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318
<b>SODIUM HYPOCHLORITE</b> <span style="float: right;"><b>1-5%</b></span> CAS number: 7681-52-9                      EC number: 231-668-3 M factor (Acute) = 10                      M factor (Chronic) = 1
<b>Classification</b> Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
<b>SODIUM HYDROXIDE</b> <span style="float: right;"><b>&lt;1%</b></span> CAS number: 1310-73-2                      EC number: 215-185-5
<b>Classification</b> Skin Corr. 1A - H314 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

## OSMOS GLASS RENOVATOR LIQUID

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Unlikely route of exposure as the product does not contain volatile substances.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues. Get medical attention if a large quantity has been ingested.
<b>Skin contact</b>	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
<b>Ingestion</b>	Corrosive. May cause chemical burns in mouth and throat.
<b>Skin contact</b>	Causes severe burns.
<b>Eye contact</b>	Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
<b>Specific treatments</b>	Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Water used for fire extinguishing, which has been in contact with the product, may be corrosive.
<b>Hazardous combustion products</b>	Corrosive gases or vapours.

#### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Use protective equipment appropriate for surrounding materials. Firefighter's clothing will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.
-----------------------------	---

## OSMOS GLASS RENOVATOR LIQUID

### 6.2. Environmental precautions

**Environmental precautions** The product contains a substance which is toxic to aquatic organisms. Avoid discharge to the aquatic environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb in vermiculite, dry sand or earth and place into containers. Dispose of contents/container in accordance with national regulations. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** For professional users only. Handle and open container with care. Avoid contact with skin, eyes and clothing.

**Advice on general occupational hygiene** Wash hands thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

**Storage class** Chemical storage. Corrosive storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### POTASSIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

#### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate ventilation.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment that provides appropriate eye and face protection should be worn.

## OSMOS GLASS RENOVATOR LIQUID

<b>Hand protection</b>	It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Nitrile rubber. Rubber (natural, latex). To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation.
<b>Hygiene measures</b>	Wash hands thoroughly after handling.
<b>Respiratory protection</b>	No specific requirements are anticipated under normal conditions of use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Colourless to pale yellow.
<b>Odour</b>	Almost odourless.
<b>pH</b>	pH (concentrated solution): >13.5
<b>Initial boiling point and range</b>	100°C
<b>Relative density</b>	~ 1.2 @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not determined.
<b>Explosive properties</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

#### 9.2. Other information

<b>Refractive index</b>	25 - 27
<b>Volatile organic compound</b>	Not applicable.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis.
-------------------	--

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	No specific requirements are anticipated under normal conditions of use.
----------------------------	--

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	Strong acids.
---------------------------	---------------

#### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Does not decompose when used and stored as recommended.
---	---

## OSMOS GLASS RENOVATOR LIQUID

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

#### Acute toxicity - oral

**ATE oral (mg/kg)** 4,166.67

#### Skin corrosion/irritation

**Skin corrosion/irritation** Causes severe burns.

**Extreme pH**  $\geq 11.5$

#### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye damage.

#### **Inhalation**

Considered to be a low inhalation hazard at normal workplace temperatures.

#### **Ingestion**

Corrosive. May cause chemical burns in mouth and throat.

#### **Skin contact**

Causes severe burns.

#### **Eye contact**

Causes serious eye damage.

#### **Medical considerations**

Pre-existing eye problems.

### SECTION 12: Ecological information

#### **Ecotoxicity**

The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

#### 12.1. Toxicity

**Toxicity** Very toxic to aquatic organisms.

#### 12.2. Persistence and degradability

**Persistence and degradability** The product contains inorganic substances which are not biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating.

#### 12.4. Mobility in soil

**Mobility** The product contains substances which are water-soluble and may spread in water systems.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal methods** Dispose of contents/container in accordance with local regulations. Discharge of small quantities to the sewer with plenty of water may be permitted. Larger quantities should be treated in a suitable plant or disposed of via a licensed waste disposal contractor.

## OSMOS GLASS RENOVATOR LIQUID

### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266
UN No. (ADN)	3266

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE)
Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE)
Proper shipping name (ADN)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE)

#### 14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C5
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



#### 14.6. Special precautions for user

IMDG Code segregation group	18. Alkalis
-----------------------------	-------------

## OSMOS GLASS RENOVATOR LIQUID

<b>EmS</b>	F-A, S-B
<b>ADR transport category</b>	2
<b>Emergency Action Code</b>	2X
<b>Hazard Identification Number (ADR/RID)</b>	80
<b>Tunnel restriction code</b>	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### **SECTION 16: Other information**

<b>Issued by</b>	Regulatory Chemist
<b>Revision date</b>	04/10/2021
<b>Revision</b>	7
<b>Supersedes date</b>	07/06/2021
<b>SDS number</b>	20714
<b>Hazard statements in full</b>	H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.