

## SAFETY DATA SHEET

### Mixxit Washing Up Liquid

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

###### Trade name

Mixxit Washing Up Liquid

###### Product no.

MXX587

###### Unique formula identifier (UFI)

4M11-N0YC-8006-E60J

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Relevant identified uses of the substance or mixture

Cleaning product

Restricted to professional users.

###### Product code (A.I.S.E.)

###### Code

AISE-P201 / Dishwash product. Manual process.

###### Use descriptors (REACH)

###### Product category

PC 35

###### Description

Washing and Cleaning Products (including solvent based products)

###### Uses advised against

None known.

##### 1.3. Details of the supplier of the safety data sheet

###### Company and address

###### Cleenol Group Ltd.

Neville House, Beaumont Road, Banbury, Oxon,

OX16 1RB

United Kingdom

Tel: +44(0) 1295 251 721

www.cleenol.com

###### E-mail

technical.enquiries@cleenol.co.uk

###### Revision

21/09/2023

###### SDS Version

1.0

##### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

#### SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

##### 2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

##### 2.2. Label elements

Hazard pictogram(s)



### Signal word

Danger

### Hazard statement(s)

Causes skin irritation. (H315)

Causes serious eye damage. (H318)

Harmful to aquatic life with long lasting effects. (H412)

### Precautionary statement(s)

#### General

-

#### Prevention

Wash hands and exposed skin thoroughly after handling. (P264)

Avoid release to the environment. (P273)

Wear eye protection/protective gloves. (P280)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

#### Storage

-

#### Disposal

Dispose of contents/container in accordance with local regulation (P501)

### Hazardous substances

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

### Additional labelling

UFI: 4M11-N0YC-8006-E60J

### 2.3. Other hazards

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

| Product/substance                                                              | Identifiers                                                          | % w/w  | Classification                                                     | Note |
|--------------------------------------------------------------------------------|----------------------------------------------------------------------|--------|--------------------------------------------------------------------|------|
| Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine | CAS No.: 121617-08-1<br>EC No.: 695-726-3<br>UK-REACH:<br>Index No.: | 25-40% | Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Aquatic Chronic 3, H412 |      |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts          | CAS No.: 68439-57-6<br>EC No.: 931-534-0<br>UK-REACH:<br>Index No.:  | 1-3%   | Skin Irrit. 2, H315<br>Eye Dam. 1, H318                            | [19] |
| Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)           | CAS No.: 68155-07-7<br>EC No.: 931-329-6<br>UK-REACH:<br>Index No.:  | 1-3%   | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Aquatic Chronic 2, H411 | [19] |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.  
Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.  
Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.  
If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.  
In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:  
Get immediate medical advice/attention.

## Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.  
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides  
Carbon oxides (CO / CO<sub>2</sub>)  
Some metal oxides

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.  
Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.  
See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.  
Avoid direct contact with the product.  
Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

##### Recommended storage material

Keep only in original packaging.

##### Storage temperature

6 - 40°C

Dry, cool and well ventilated

##### Incompatible materials

No specific requirements

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

##### DNEL

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

| Duration:                                         | Route of exposure: | DNEL:             |
|---------------------------------------------------|--------------------|-------------------|
| Long term – Local effects - General population    | Dermal             | 56.2 µg/cm²       |
| Long term – Local effects - Workers               | Dermal             | 93.6 µg/cm²       |
| Long term – Systemic effects - General population | Dermal             | 89.3 µg/kgbw/day  |
| Long term – Systemic effects - Workers            | Dermal             | 750 µg/kgbw/day   |
| Long term – Systemic effects - General population | Inhalation         | 2.03 mg/m³        |
| Long term – Systemic effects - Workers            | Inhalation         | 11.5 mg/m³        |
| Long term – Systemic effects - General population | Oral               | 1.17 mg/kg bw/day |

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine

| Duration: | Route of exposure: | DNEL: |
|-----------|--------------------|-------|
|-----------|--------------------|-------|

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

|                                                                       |                           |                          |
|-----------------------------------------------------------------------|---------------------------|--------------------------|
| Long term – Systemic effects - General population                     | Dermal                    | 1.2 mg/kg bw/day         |
| Long term – Systemic effects - Workers                                | Dermal                    | 5.29 mg/kg bw/day        |
| Long term – Systemic effects - General population                     | Inhalation                | 1.01 mg/m <sup>3</sup>   |
| Long term – Systemic effects - Workers                                | Inhalation                | 4.1 mg/m <sup>3</sup>    |
| Long term – Systemic effects - General population                     | Oral                      | 580 µg/kgbw/day          |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts |                           |                          |
| <b>Duration:</b>                                                      | <b>Route of exposure:</b> | <b>DNEL:</b>             |
| Long term – Systemic effects - General population                     | Dermal                    | 1295 mg/kg bw/day        |
| Long term – Systemic effects - Workers                                | Dermal                    | 2158.33 mg/kg bw/day     |
| Long term – Systemic effects - General population                     | Inhalation                | 45.04 mg/m <sup>3</sup>  |
| Long term – Systemic effects - Workers                                | Inhalation                | 152.22 mg/m <sup>3</sup> |
| Long term – Systemic effects - General population                     | Oral                      | 12.95 mg/kg bw/day       |

## PNEC

Amides, C8-18 (even numbered) and C18-unsatd., N,N-bis(hydroxyethyl)

|                                     |                              |              |
|-------------------------------------|------------------------------|--------------|
| <b>Route of exposure:</b>           | <b>Duration of Exposure:</b> | <b>PNEC:</b> |
| Freshwater                          |                              | 7 µg/L       |
| Freshwater sediment                 |                              | 230 µg/kg    |
| Intermittent release (freshwater)   |                              | 24 µg/L      |
| Intermittent release (marine water) |                              | 2.4 µg/L     |
| Marine water                        |                              | 700 ng/L     |
| Marine water sediment               |                              | 23 µg/kg     |
| Sewage treatment plant              |                              | 830 mg/L     |
| Soil                                |                              | 32 mg/kg     |

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine

|                                   |                              |              |
|-----------------------------------|------------------------------|--------------|
| <b>Route of exposure:</b>         | <b>Duration of Exposure:</b> | <b>PNEC:</b> |
| Freshwater                        |                              | 268 µg/L     |
| Freshwater sediment               |                              | 8.1 mg/kg    |
| Intermittent release (freshwater) |                              | 268 µg/L     |
| Marine water                      |                              | 26.8 µg/L    |
| Marine water sediment             |                              | 8.1 mg/kg    |
| Sewage treatment plant            |                              | 7 mg/L       |
| Soil                              |                              | 35 mg/kg     |

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

|                                   |                              |              |
|-----------------------------------|------------------------------|--------------|
| <b>Route of exposure:</b>         | <b>Duration of Exposure:</b> | <b>PNEC:</b> |
| Freshwater                        |                              | 24 µg/L      |
| Freshwater sediment               |                              | 767 µg/kg    |
| Intermittent release (freshwater) |                              | 19.7 µg/L    |
| Marine water                      |                              | 2.4 µg/L     |
| Marine water sediment             |                              | 76.7 µg/kg   |
| Sewage treatment plant            |                              | 4 mg/L       |
| Soil                              |                              | 1.21 mg/kg   |

## 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

### Appropriate technical measures

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures

Take off contaminated clothing and wash it before reuse.

### Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

### Individual protection measures, such as personal protective equipment

#### Generally

Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

#### Respiratory Equipment

| Type                     | Class | Colour | Standards |
|--------------------------|-------|--------|-----------|
| No specific requirements |       |        |           |

#### Skin protection

| Recommended                       | Type/Category | Standards |
|-----------------------------------|---------------|-----------|
| No special when used as intended. | -             | -         |

#### Hand protection

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards |
|----------|----------------------|--------------------------|-----------|
| Gloves   | -                    | > 360                    | EN374     |



#### Eye protection

| Work situation                                            | Type           | Standards |
|-----------------------------------------------------------|----------------|-----------|
| In the event of prolonged exposure or high concentrations | Safety glasses | EN166     |



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Yellow

#### Odour / Odour threshold

Characteristic

#### pH

7.5 - 8.5

#### Density (g/cm³)

-

#### Relative density

1.03 (20 °C)

#### Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

#### Dynamic viscosity

1200 - 1800 poise cm<sup>3</sup>/g (20 °C)

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

##### Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Vapour pressure

Testing not relevant or not possible due to the nature of the product.

##### Relative vapour density

Testing not relevant or not possible due to the nature of the product.

##### Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

#### Data on fire and explosion hazards

##### Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

##### Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

##### Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

##### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

#### Solubility

##### Solubility in water

Very soluble

##### n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

##### Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

#### 9.2. Other information

##### Other physical and chemical parameters

No data available.

##### Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Extremes of temperature

Storage in the open is not recommended.

#### 10.5. Incompatible materials

No specific requirements

#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Causes serious eye damage.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

### Endocrine disrupting properties

Not applicable.

### Other information

None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### 12.6. Endocrine disrupting properties

Not applicable.

### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### EWC code

Not applicable.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

|      | 14.1<br>UN / ID | 14.2<br>UN proper shipping name | 14.3<br>Hazard class(es) | 14.4<br>PG* | 14.5<br>Env** | Other<br>information: |
|------|-----------------|---------------------------------|--------------------------|-------------|---------------|-----------------------|
| ADR  | -               | -                               | -                        | -           | -             | -                     |
| IMDG | -               | -                               | -                        | -           | -             | -                     |
| IATA | -               | -                               | -                        | -           | -             | -                     |

\* Packing group

\*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Restricted to professional users.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

Not applicable.

#### Labelling of contents according to Detergents Regulation (EC) No 648/2004

15% - 30%

· Anionic surfactants

< 5%

· Non-ionic surfactants

#### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H318, Causes serious eye damage.
- H411, Toxic to aquatic life with long lasting effects.
- H412, Harmful to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

- PC 35 = Washing and Cleaning Products (including solvent based products)

### Abbreviations and acronyms

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement
- EuPCS = European Product Categorisation System
- EWC = European Waste Catalogue
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IARC = International Agency for Research on Cancer (IARC)
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- OECD = Organisation for Economic Co-operation and Development
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RRN = REACH Registration Number
- SCL = A specific concentration limit
- SVHC = Substances of Very High Concern
- STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
- STOT-SE = Specific Target Organ Toxicity - Single Exposure
- TWA = Time weighted average
- UN = United Nations
- UVBC = Unknown or variable composition, complex reaction products or of biological materials
- VOC = Volatile Organic Compound
- vPvB = Very Persistent and Very Bioaccumulative

### Additional information

- The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
- The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

### The safety data sheet is validated by

- Regulatory Chemist

### Other

- A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.
- The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not



**For a cleaner, safer world**

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

---

necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en